



Sl. No.: PS-248

Valid Upto: MARCH
2023

GOVERNMENT OF PUDUCHERRY
DEPARTMENT OF HEALTH AND FAMILY WELFARE SERVICES
OFFICE OF THE DEPUTY DIRECTOR (IEC)
(STUDENT HEALTH OFFICE)

No. DD (IEC) / SHO / 2022 - 2023

Puducherry, Dt: 26.9.2022

SANITARY CERTIFICATE

ST. JOSEPH OF CLUNY HIGHER SEC. SCHOOL
at Airport road, Lawspet,
Puducherry - 605008

School has been inspected by the team of Student Health
Office on 26.9.22

Based on inspection findings, the Sanitary
Certificate is issued. Sanitary Condition of the
School is Satisfactory

S. Selin Simon

CORRESPONDENT
ST. JOSEPH OF CLUNY H.S.S.
LAWSPET, PUDUCHERRY-605 008.

S. Selin
PRINCIPAL

ST. JOSEPH OF CLUNY H.S.S.
LAWSPET, PUDUCHERRY- 605 008.

DEPUTY DIRECTOR (I.E.C.)
DEPT. OF HEALTH & F.W. SERVICES
PUDUCHERRY

WATER TESTING LABORATORY
P.H.D., P.W.D., PUDUCHERRY
 (An ISO/IEC 17025: 2017 NABL Accredited Laboratory)



Report No. : TR/WTL/PHD/PWD/PDY/2021/W-0485
 ULR-TC75802100000283F

Date: 09.08.2021

Certificate No. TC-7580

TEST REPORT

Customer Name & Address : The Principal,
 St. Joseph of Cluny, Hr. Sec School, Lawspet, Puducherry.
Customer Reference : Test Requested on dt.22.07.2021

Page 1 of 1

SAMPLE DETAILS

CHEMICAL REPORT

Sample Code	: 2021/W-0485	Sampled by	: WTL Staff
Sample Name	: Drinking water	Sampled on	: 28.7.2021
Sample Description	: R.O. water	Sampling Location	: Lawspet (Hr. Sec School), Puducherry.
Identification by Customer	: Sample - 1	Sampling Procedure	: PWDWTL/SOP/012
Sample Condition	: Fit for analysis	Sample Received on	: 28.07.2021
Test Started on	: 28.07.2021	Test Completed on	: 09.08.2021

TEST RESULTS

Test Parameter	Test Method	Units	Results	Drinking water standard as per IS 10500-2012	
				Acceptable Limit (Requirement)	Permissible limit in the absence of alternate Source
Table 1 General Parameters Concerning Substances Undesirable in Excessive Amounts					
pH @ 25°C	APHA, 23rd Edition, 2017, 4500-H ⁺ B	--	5.95	6.5 to 8.5	No relaxation
Electrical Conductivity @ 25°C	APHA, 23rd Edition, 2017, 2510 B	µs/cm	130	---	---
*Total Dissolved Solids	PWDWTL/SOP/08 Issue No.: 01	mg/L	80.6	500 Max	2000 Max
Table 2 General Parameters Concerning Substances Undesirable in Excessive Amounts					
Total Alkalinity as CaCO ₃	APHA, 23rd Edition, 2017, 2320 B	mg/L	19.1	200 Max	600 Max
Total Hardness as CaCO ₃	APHA, 23rd Edition, 2017, 2340 C	mg/L	26.9	200 Max	600 Max
Calcium as Ca	APHA, 23rd Edition, 2017, 3500-Ca B	mg/L	6.80	75 Max	200 Max
Magnesium as Mg	APHA, 23rd Edition, 2017, 3500-Mg B	mg/L	2.41	30 Max	100 Max
Iron as Fe	APHA, 23rd Edition, 2017, 3500 Fe B	mg/L	BDL (DL:0.1)	1.0 Max	No Relaxation
Chloride as Cl	APHA, 23rd Edition, 2017, 4500-Cl B	mg/L	37.7	250 Max	1000 Max
Sulphate as SO ₄	APHA, 23rd Edition, 2017, 4500-SO ₄ E	mg/L	3.93	200 Max	400 Max
Nitrate as NO ₃	APHA, 23rd Edition, 2017, 4500-NO ₃ B	mg/L	11.7	45 Max	No Relaxation
Fluoride as F	APHA, 23rd Edition, 2017, 4500-F D	mg/L	BDL (DL:0.1)	1.0 Max	1.5 Max

Note: BDL : Below Detection Limit, DL : Detection Limit

Copy submitted to:
 The Executive Engineer,
 PHD., PWD., Puducherry.

Authorized Signatory

L. Anita Ben
L. Anita Ben
 BIOCHEMIST
 WATER TESTING LAB
 PUBLIC HEALTH DIVISION
 P.W.D. PONDICHERRY

1. The test result relevant only to the item tested.
2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.
3. The laboratory is not responsible for the authenticity of photocopied test report.
4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

S. Selim Simon
CORRESPONDENT
 ST. JOSEPH OF CLUNY H.S.S.
 LAWSPET, PUDUCHERRY-605 008.

S. Raj
PRINCIPAL
 ST. JOSEPH OF CLUNY H.S.S.

**WATER TESTING LABORATORY
P.H.D., P.W.D., PUDUCHERRY**

Report No: TR/WTL/PHD/PDY/2021/B-0088

Date: 30.07.2021

TEST REPORT

Customer Name & Address: The Principal,
St. Joseph of Cluny, Hr. Sec School, Lawspet, Puducherry.

Customer Reference: Test Requested on dt.22.07.2021

SAMPLE DETAILS

Sample Code	: 2021/B-0088	Sampled by	: Customer
Sample Name	: Drinking water	Sampled on	: --
Sample Description	: R.O. Water	Sampling Location	: Lawspet (Hr. Sec School), Puducherry.
Temperature	: --	Sampling Procedure	: --
Identificaiton by Customer	: Sample- 1	Sample Received on	: 28.07.2021
Sample Condition	: Fit for analysis	Test Completed on	: 30.07.2021
Test Started on	: 28.07.2021		

Test Parameter	Test Method	Units	Results	Drinking water standard requirements as per IS 10500-2012
BACTERIOLOGICAL ANALYSIS				
Total Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 mL	Absent	Absent
Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 mL	Absent	Absent

Remarks:

The water sample meets the requirement of the standards in respect of the above parameters analysed.

.....End of Report.....

Authorized Signatory

Copy Submitted to:
The Executive Engineer,
P.H.D., P.W.D., Puducherry.

L. Anita Ben
L. Anita Ben
BIOCHEMIST
WATER TESTING LAB
PUBLIC HEALTH DIVISION
P.W.D PONDICHERRY

Terms and Conditions:

1. The test result relevant only to the item tested.
2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.
3. The laboratory is not responsible for the authenticity of photocopied test report.
4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations
5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

S. Selin Simon
CORRESPONDENT
ST. JOSEPH OF CLUNY H.S.S.

S. Ravi
PRINCIPAL
ST. JOSEPH OF CLUNY H.S.S.

WATER TESTING LABORATORY
P.H.D., P.W.D., PUDUCHERRY
 (An ISO/IEC 17025: 2017 NABL Accredited Laboratory)



Report No. : TR/WTL/PHD/PWD/PDY/2021/W-0486
 ULR-TC75802100000284F

Date: 09.08.2021

TEST REPORT

Customer Name & Address : The Principal,
 St. Joseph of Cluny, Hr. Sec School, Lawspet, Puducherry.
Customer Reference : Test Requested on dt.22.07.2021

Page 1 of 1

SAMPLE DETAILS

CHEMICAL REPORT			
Sample Code	: 2021/W-0486	Sampled by	: WTL Staff
Sample Name	: Drinking water	Sampled on	: 28.07.2021
Sample Description	: R.O. water	Sampling Location	: Roman Rolland St., (Primary Section), Pdy.
Identification by Customer	: Sample - 2	Sampling Procedure	: PWDWTL/SOP/012
Sample Condition	: Fit for analysis	Sample Received on	: 28.07.2021
Test Started on	: 28.07.2021	Test Completed on	: 09.08.2021

TEST RESULTS

Test Parameter	Test Method	Units	Results	Drinking water standard as per IS 10500-2012	
				Acceptable Limit (Requirement)	Permissible limit in the absence of alternate Source
Table 1 General Parameters Concerning Substances Undesirable in Excessive Amounts					
pH @ 25°C	APHA, 23rd Edition, 2017, 4500-H ⁺ B	--	6.30	6.5 to 8.5	No relaxation
Electrical Conductivity @ 25°C	APHA, 23rd Edition, 2017, 2510 B	µs/cm	96.2	---	---
*Total Dissolved Solids	PWDWTL/SOP/08 Issue No.: 01	mg/L	59.6	500 Max	2000 Max
Table 2 General Parameters Concerning Substances Undesirable in Excessive Amounts					
Total Alkalinity as CaCO ₃	APHA, 23rd Edition, 2017, 2320 B	mg/L	17.3	200 Max	600 Max
Total Hardness as CaCO ₃	APHA, 23rd Edition, 2017, 2340 C	mg/L	15.5	200 Max	600 Max
Calcium as Ca	APHA, 23rd Edition, 2017, 3500-Ca B	mg/L	4.42	75 Max	200 Max
Magnesium as Mg	APHA, 23rd Edition, 2017, 3500-Mg B	mg/L	1.09	30 Max	100 Max
Iron as Fe	APHA, 23rd Edition, 2017, 3500 Fe B	mg/L	BDL (DL:0.1)	1.0 Max	No Relaxation
Chloride as Cl	APHA, 23rd Edition, 2017, 4500-Cl B	mg/L	27.8	250 Max	1000 Max
Sulphate as SO ₄	APHA, 23rd Edition, 2017, 4500-SO ₄ E	mg/L	8.87	200 Max	400 Max
Nitrate as NO ₃	APHA, 23rd Edition, 2017, 4500-NO ₃ B	mg/L	BDL (DL:5.0)	45 Max	No Relaxation
Fluoride as F	APHA, 23rd Edition, 2017, 4500-F D	mg/L	0.15	1.0 Max	1.5 Max

Note: BDL : Below Detection Limit, DL : Detection Limit

Copy submitted to:
 The Executive Engineer,
 PHD., PWD., Puducherry.

Authorized Signatory

L. Anita Ben
L. Anita Ben
 BIOCHEMIST
 WATER TESTING LAB
 PUBLIC HEALTH DIVISION
 P.W.D. PONDICHERRY

- The test result relevant only to the item tested.
- The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.
- The laboratory is not responsible for the authenticity of photocopied test report.
- The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
- The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

S. Selin Simon
CORRESPONDENT
 ST. JOSEPH OF CLUNY H.S.S.
 LAWSPET, PUDUCHERRY. 605 002

S. Raj
PRINCIPAL
 ST. JOSEPH OF CLUNY H.S.S.

**WATER TESTING LABORATORY
P.H.D., P.W.D., PUDUCHERRY**

Report No: TR/WTL/PHD/PDY/2021/B-0089

Date: 30.07.2021

TEST REPORT

Customer Name & Address: The Principal,
St. Joseph of Cluny, Hr. Sec School, Lawspet, Puducherry.
Customer Reference: Test Requested on dt.22.07.2021

SAMPLE DETAILS

Sample Code	: 2021/B-0089	Sampled by	: Customer
Sample Name	: Drinking water	Sampled on	: --
Sample Description	: R.O. Water	Sampling Location	: Roman Rolland St., (Primary Section), Puducherry.
Temperature	: --	Sampling Procedure	: --
Identificaiton by Customer	: Sample- 2	Sample Received on	: 28.07.2021
Sample Condition	: Fit for analysis	Test Completed on	: 30.07.2021
Test Started on	: 28.07.2021		

Test Parameter	Test Method	Units	Results	Drinking water standard requirements as per IS 10500-2012
BACTERIOLOGICAL ANALYSIS				
Total Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 mL	Absent	Absent
Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 mL	Absent	Absent

Remarks:

The water sample meets the requirement of the standards in respect of the above parameters analysed.

.....End of Report.....

Authorized Signatory

Copy Submitted to:
The Executive Engineer,
P.H.D., P.W.D., Puducherry.

L. Anita Ben
L. Anita Ben
BIOCHEMIST
WATER TESTING LAB
PUBLIC HEALTH DIVISION
P W D PONDICHERRY

Terms and Conditions:

1. The test result relevant only to the item tested.
2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.
3. The laboratory is not responsible for the authenticity of photocopied test report.
4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations
5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

S. Selin Simon
CORRESPONDENT
ST. JOSEPH OF CLUNY H.S.S.

S. Raj
PRINCIPAL
ST. JOSEPH OF CLUNY H.S.S.

WATER TESTING LABORATORY
P.H.D., P.W.D., PUDUCHERRY
 (An ISO/IEC 17025: 2017 NABL Accredited Laboratory)



Certificate No. TC-7580

Report No. : TR/WTL/PHD/PWD/PDY/2021/W-0487
 ULR-TC75802100000285F

Date: 09.08.2021

TEST REPORT

Customer Name & Address : The Principal,
 St. Joseph of Cluny, Hr. Sec School, Lawspet, Puducherry.
Customer Reference : Test Requested on dt.22.07.2021

Page 1 of 1

SAMPLE DETAILS

CHEMICAL REPORT			
Sample Code	: 2021/W-0487	Sampled by	: WTL Staff
Sample Name	: Drinking water	Sampled on	: 28.07.2021
Sample Description	: R.O. water	Sampling Location	: Rue suffren (Montessori School), Pdy.
Identification by Customer	: Sample - 3	Sampling Procedure	: PWDWTL/SOP/012
Sample Condition	: Fit for analysis	Sample Received on	: 28.07.2021
Test Started on	: 28.07.2021	Test Completed on	: 09.08.2021

TEST RESULTS

Test Parameter	Test Method	Units	Results	Drinking water standard as per IS 10500-2012	
				Acceptable Limit (Requirement)	Permissible limit in the absence of alternate Source
Table 1 General Parameters Concerning Substances Undesirable in Excessive Amounts					
pH @ 25°C	APHA, 23rd Edition, 2017, 4500-H ⁺ B	--	6.39	6.5 to 8.5	No relaxation
Electrical Conductivity @ 25°C	APHA, 23rd Edition, 2017, 2510 B	µs/cm	45.1	---	---
*Total Dissolved Solids	PWDWTL/SOP/08 Issue No.: 01	mg/L	28.0	500 Max	2000 Max
Table 2 General Parameters Concerning Substances Undesirable in Excessive Amounts					
Total Alkalinity as CaCO ₃	APHA, 23rd Edition, 2017, 2320 B	mg/L	13.6	200 Max	600 Max
Total Hardness as CaCO ₃	APHA, 23rd Edition, 2017, 2340 C	mg/L	17.4	200 Max	600 Max
Calcium as Ca	APHA, 23rd Edition, 2017, 3500-Ca B	mg/L	4.59	75 Max	200 Max
Magnesium as Mg	APHA, 23rd Edition, 2017, 3500-Mg B	mg/L	1.46	30 Max	100 Max
Iron as Fe	APHA, 23rd Edition, 2017, 3500 Fe B	mg/L	0.10	1.0 Max	No Relaxation
Chloride as Cl	APHA, 23rd Edition, 2017, 4500-Cl B	mg/L	12.2	250 Max	1000 Max
Sulphate as SO ₄	APHA, 23rd Edition, 2017, 4500-SO ₄ E	mg/L	5.15	200 Max	400 Max
Nitrate as NO ₃	APHA, 23rd Edition, 2017, 4500-NO ₃ B	mg/L	BDL (DL:5.0)	45 Max	No Relaxation
Fluoride as F	APHA, 23rd Edition, 2017, 4500-F D	mg/L	BDL (DL:0.1)	1.0 Max	1.5 Max

Note: BDL : Below Detection Limit, DL : Detection Limit

.....End of Report.....

Authorized Signatory

Copy submitted to:
 The Executive Engineer,
 PHD., PWD., Puducherry.

L. Anita Ben
L. Anita Ben
 BIOCHEMIST
 WATER TESTING LAB
 PUBLIC HEALTH DIVISION
 P.W.D. PONDICHERRY

- The test result relevant only to the item tested.
- The tested report shall not be reproduced in full or part without written approval of WTL-PHPWD.
- The laboratory is not responsible for the authenticity of photocopied test report.
- The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
- The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

S. Selin Simon

CORRESPONDENT
 ST. JOSEPH OF CLUNY

S. Raj
DRINKING WATER

**WATER TESTING LABORATORY
P.H.D., P.W.D., PUDUCHERRY**

Report No: TR/WTL/PHD/PDY/2021/B-0090

Date: 30.07.2021

TEST REPORT

Customer Name & Address: The Principal,
St. Joseph of Cluny, Hr. Sec School, Lawspet, Puducherry.
Customer Reference: Test Requested on dt.22.07.2021

SAMPLE DETAILS

Sample Code	: 2021/B-0090	Sampled by	: Customer
Sample Name	: Drinking water	Sampled on	: --
Sample Description	: R.O. Water	Sampling Location	: Rue suffren (Montessori School), Puducherry.
Temperature	: --	Sampling Procedure	: --
Identificaiton by Customer	: Sample- 3	Sample Received on	: 28.07.2021
Sample Condition	: Fit for analysis	Test Completed on	: 30.07.2021
Test Started on	: 28.07.2021		

Test Parameter	Test Method	Units	Results	Drinking water standard requirements as per IS 10500-2012
BACTERIOLOGICAL ANALYSIS				
Total Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 mL	Absent	Absent
Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 mL	Absent	Absent

Remarks:

The water sample meets the requirement of the standards in respect of the above parameters analysed.

.....End of Report.....

Authorized Signatory

Copy Submitted to:
The Executive Engineer,
P.H.D., P.W.D., Puducherry.

L. Anita Ben
L Anita Ben
BIOCHEMIST
WATER TESTING LAB
PUBLIC HEALTH DIVISION
P.W.D. PONDICHERRY

Terms and Conditions:

1. The test result relevant only to the item tested.
2. The tested report shall not be reproduced in full or part without written approval of WTL-PHPWD.
3. The laboratory is not responsible for the authenticity of photocopied test report.
4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations
5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

S. Selin Simon
CORRESPONDENT
ST. JOSEPH OF CLUNY H.S.S.
LAWSPET, PUDUCHERRY. 605 003

S. R. J.
PRINCIPAL
ST. JOSEPH OF CLUNY H.S.S.